## USER MANUAL



## Important Notice

## USER MANUAL



PLEASE FULLY READ THIS IMPORTANT NOTICE BEFORE USING THE LIGHT

### **IP67 Waterproof**

Design with IP67 waterproof feature

DO NOT SUBMERGE
THE LIGHT INTO WATER
FOR A LONG PERIOD
OF TIME

#### **UV Tanning LED**

Recommended to **ONLY** 

ON tanning function during night when there are nobody around



#### WARNING

DO NOT STARE OR LOOK DIRECTLY AT THE UV LED FOR LONG PERIOD OF TIME DURING TANNING PROCESS

THE UV RAYS MAY CAUSE
PERMANENT
HARM TO YOUR EYES & SKIN

( ULTRA COLOR **PRO** ONLY )



## Controller ultra color pro


### USER MANUAL

# Ultra Color Daytime display mode 12 14 16

12 hours — — 16 hours 14 hours

### TIMER HOURS INDICATOR

## UV Tanning night mode



### TIMER HOURS INDICATOR



## MANUAL ON/OFF

Press button to increase/decrease
LED brightness. 5 levels of brightness
10% - 25% - 50% - 75% - 100%
Applicable for
day display & night tanning mode



**ULTRA COLOR PRO CONTROLLER** 

#### Ultra Color Daytime display mode



### TIMER HOUR SELECTOR

Press button to select the required hours for auto timer function

### UV Tanning night mode



## TIMER HOUR SELECTOR

Press button to select the required hours for auto timer function




### MANUAL ON/OFF

Press button once to ON, once again to OFF. Applicable for Ultra Color Day display mode only

## Controller ultra color

## USER MANUAL





## MANUAL ON/OFF

Press button to increase/decrease
LED brightness. 5 levels of brightness
10% - 25% - 50% - 75% - 100%
Applicable for
day display & night tanning mode



#### **ULTRA COLOR CONTROLLER**

Remark: Non PRO version

#### Ultra Color Daytime display mode



## TIMER HOUR SELECTOR

Press button to select the required hours for auto timer function



## MANUAL ON/OFF

Press button once to ON, once again to OFF. Applicable for Ultra Color Day display mode only

## Slow start On & Off

### USER MANUAL

#### ULTRA COLOR & ULTRA COLOR PRO

Designed with auto "Slow start On & Off" feature to prevent fishes in the tank from panicking due to sudden On & Off of the light(s)

### 15 minutes

Auto slow start On & Off total time duration to full brightness (100%) 100% 50% 25% **75%** 10% brightness brightness brightness brightness brightness (3) Eng.












Illustration example of SLOW START ON/OFF function (RUNNING ON AUTO TIMER MODE)

## Slow changeover

## USER MANUAL

Available for ULTRA COLOR PRO version only

### **ULTRA COLOR PRO**

Designed with auto "Slow Changeover" feature to prevent fishes in the tank from panicking due to sudden On/Off & changeover from display mode to UV tanning mode

### 30 minutes

Slow changeover total time duration from Ultra Color display mode to UV tanning mode




Illustration example of SLOW CHANGEOVER function (RUNNING ON AUTO TIMER MODE)

## Timer explaination

## USER MANUAL

### How does the timer works, what time does it starts from?

The timing calculation starts from the moment the **C** or **T** button being pressed

Timer starts counting once you press C or T button

### Example 1:

### Timer for only using Ultra Color display mode


If you press C button at 10.00am & select 12 hours, then the lights will auto Off after 12 hours that is 10.00pm the same day. This function will automatically continue to repeat daily until you manually Off the lights or reprogram the C button



### Example 2:


### Timer for Ultra Color display mode + UV tanning mode (auto changeover)

If you press C button at 10.00am & select 12 hours, then T button & select 3 hours, the light will automatically changeover after 12 hours to UV tanning mode & auto Off after 3 hours of UV tanning mode. The light will then automatically resume On Ultra Color display mode (C button) again at 10.00am the next day, this function will repeat daily until you manually Off the lights or reprogram the C or T button




## Installation style

## USER MANUAL




#### **TOP SITTING STYLE ON TANK BRACING**

Suitable for fish tank with top cover




#### **SCREW TO TOP COVER STYLE**

Suitable for fish tank with top cover



#### SIDE BRACKET AQUASCAPE STYLE

Suitable for open type fish tank




#### **HANGING STYLE**

Suitable for open type fish tank

## Connection diagram

## USER MANUAL

#### ULTRA COLOR & ULTRA COLOR PRO



## Specifications

## USER MANUAL



### **ULTRA COLOR PRO**

LIGHT SIZE	WATT	UV TANNING	TIMER	CASING	WATERPROOF	VOLTAGE
(LENGTH)	ULTRA COLOR (DAY)	(NIGHT TANNING)	( AUTO ON/OFF )	( LIGHT )	RATING	(INPUT)
55CM	TBA	Yes - high power	Dual timer	Aluminum	IP67	24V DC
85CM	37W (max)	Yes - high power	Dual timer	Aluminum	IP67	24V DC
115CM	43W (max)	Yes - high power	Dual timer	Aluminum	IP67	24V DC
145CM	51W (max)	Yes - high power	Dual timer	Aluminum	IP67	24V DC
175CM	59W (max)	Yes - high power	Dual timer	Aluminum	IP67	24V DC



### **ULTRA COLOR**

LIGHT SIZE (LENGTH)	WATT ULTRA COLOR (DAY)	<b>UV TANNING</b> (NIGHT TANNING)	TIMER ( AUTO ON/OFF )	CASING (LIGHT)	WATERPROOF RATING	VOLTAGE (INPUT)
55CM	TBA	-	Single timer	Aluminum	IP67	24V DC
85CM	37W (max)	_	Single timer	Aluminum	IP67	24V DC
115CM	43W (max)	-	Single timer	Aluminum	IP67	24V DC
145CM	51W (max)	_	Single timer	Aluminum	IP67	24V DC
175CM	59W (max)	-	Single timer	Aluminum	IP67	24V DC

Product picture used in this user manual are for illustration purpose only, Specifications are subject to change without prior notice



### We lead, other follows